


THREE PHASE - EI LAMINATIONS - DIMENSIONS

Type	Centre Limb	Height	E+I Height	Limb Width	I Width	Window Height	Window Width	Hole Dia.	3 Holes	Weight per inch	Weight per Sq. stack
	A	B	C	D	E	F	G			in gm	in gm
15 TP	12.7	76.2	63.5	12.7	12.7	38.1	19.1	5.5		639	320
EI-100	20.0	100.0	100.0	20.0	20.0	60.0	20.0	6.0		1455	1146
16 TP	19.05	114.3	95.2	19.05	19.05	57.1	28.6	6.5		1455	1092
EI-125	25.0	125.0	125.0	25.0	25.0	75.0	25.0	5.6	Yes	2289	2253
6 TP	19.0	127.0	114.3	19.0	19.0	76.2	35.0	6.5		1756	1314
EI-150	30.0	150.0	150.0	30.0	30.0	90.0	30.0	10.0	Yes	3262	3853
43 TP	25.4	152.4	127.0	25.4	25.4	76.2	38.1	8.0		2607	2607
8 TP	25.4	184.1	171.5	25.4	25.4	120.7	53.9	9.5		3550	3550
EI-190	38.0	190.0	190.0	38.0	38.0	114.0	38.0	10.0	Yes	5219	7809
EI-200	40.0	200.0	180.0	40.0	40.0	100.0	40.0	10.0	Yes	5380	8473
EI-202	40.0	202.6	203.3	40.0	41.3	120.7	41.3	11.0		5993	9438
8B TP	38.1	235.0	196.9	38.1	38.1	120.7	60.35	11.0		6087	9131
EI-250	50.0	250.0	250.0	50.0	50.0	150.0	50.0	16.0	Optional	9074	17863
EI-300	60.0	300.0	300.0	60.0	60.0	180.0	60.0	16.0	Optional	13135	31028
100 A	50.8	304.8	254.1	50.8	50.8	152.5	76.2	13.0		10431	20862
EI-350	70.0	350.0	350.0	70.0	70.0	210.0	70.0	14.0	Yes	17932	49418
100 TP	50.8	355.6	203.2	50.8	50.8	152.5	101.6	11.0		11379	22758



All Dimensions are in mm Tolerance is +/- 0.10 mm